

Memorial Hospital
Belleville, IL 62226

ORDERS SHEET AND PROGRESS RECORD

DATE Time	Initials	PHYSICIAN'S ORDERS	DATE	PROGRESS RECORD
		1. Implement skin treatment protocol utilizing appropriate treatment based on stage of lesion.		
		2. Dietary consult.		
		3. Measure wound on admission and weekly.		NOTE: Orders #3 - 8 included in Plan of Care.
		4. Cleanse all wounds with NS solution.		No need to transcribe order(s).
		5. <input type="checkbox"/> Stage I or Stage II		
		a. Sacralcoccygeal ulcer use current zinc product twice daily and PRN.		
		b. Hydrocolloid change every 3-5 days and PRN to:		
		Apply skin prep under hydrocolloid. If leaking or drainage or any signs of redness or irritation occur, remove dressing.		
		<input type="checkbox"/> Stage III or Stage IV		
		a. Without necrosis / dry to scant exudate: Skin prep to periwound skin. Apply hydrogel to wound bed. Cover with island dressing. Change daily.		
		b. Without necrosis / mod/heavy drainage: Skin prep to periwound skin. Pack with Maxorb Extra. Cover with island dressing. Change daily.		
		c. Necrosis with mod/heavy drainage: Skin prep to periwound skin. Pack loosely with Tender Wet Cavity or apply enzymatic debrider & fluffs. Cover with island dressing. Change daily.		
		<input type="checkbox"/> Eschar		
		Enzymatic debriding agent with island dressing daily to:		

Do not write below this line



PHYORDER

SKIN TREATMENT PROTOCOL: PRESSURE ULCER
Approved: P & T 11/17/05
CM601-207 R12/05

